




WhatsApp



Wechat

Main products:

Cable cut&strip machine, Wire terminal crimp machine, Material cutting machine, Tape wrapping machine, Cable coiling&bundling machine, Ultrasonic welding machine, Cable pay-off, Labeling machine and Tester.

Kunshan Weijiang Automation Equipment Co.,Ltd.

Add:Factory2, No.600 Yuyang Road,Kunshan City,Jiangsu Province,China

Mob:0086 13338641487 WA:0086 17768084595

Youtube:<https://www.youtube.com/channel/UCsGOljXqSMtcsznCF4Ao7UQ>

Web : <https://www.wire-processing.com/>

Kunshan Weijiang

Automation Equipment Co.,Ltd

CATALOG



Focus on wire harness solutions

2025



Dedication

Innovation / Brilliance

「Strive for perfection

Wejion has united and worked hard for several years,
We have achieved gratifying honors and fruitful results,
It inspires Wejion people to actively move forward,
Continuing to meet and exceed customer requirements,
Strive for greater honor!

Integrity



COMPANY PROFILE

Kunshan Weijiang Automation Equipment Co., Ltd. is a modern technology enterprise specializing in R&D, production and sales of intelligent equipment for processing, cutting and wiring harness. The company's core products are: Cable cut&strip machine, Wire terminal crimp machine, Material cutting machine, Tape wrapping machine, Cable coiling&bundling machine, Ultrasonic welding machine, Cable pay-off, Labeling machine and Tester.

We have always adhered to the customer demand as the core, uphold the purpose of simplifying complex work, on the premise of ensuring quality and product stability, for customers to save labor and resources to the greatest extent, so that production efficiency and production quality to achieve the most perfect and optimized.

Authoritative enterprise

- First class R&D team



- **Direction:**
use and create science and technology that is accepted by the society, change life and create value through science and technology
- **Philosophy:**
to provide customers with valuable products, to achieve a win-win situation between customers and enterprises corporate
- **Goals:**
to be a high-tech enterprise widely recognized by the society
- **Culture:**
professionalism, honesty and trustworthiness, the pursuit of excellence



Workshop

- Self-built factory production, strict quality control



Cases



Applications:

Aviation/Aerospace/Rail Transit/Automotive New Energy
Electronic Harness Applications/

A variety of wire processing mode legends to meet the all-round needs of the wire harness processing industry

Cutting	
Precision cut	
Full strip	
Half strip	
Coaxial cable	
Mid-splitting	
Crimping	
Hot stamp marking	
Ink-Jet marking	
Sequence processing	
Step crimping	
Wire sealing	
Twisting/Tinning	
Ferrule crimping	
Crimping	
Precision cut	
Multiple strip	
Flat cable	
Multi conductor cable	
Inner conductor processing	
Double sheath cables	
Sequence processing	

CONTENTS


01	CABLE CUT&STRIP MACHINES	01
02	WIRE CRIMP MACHINES	13
03	CABLE PREFEEDER	23
04	TAPE WRAPPING MACHINES	27
05	MATERIAL CUTTING MACHINES	31
06	CABLE WINDING&TYING MACHINES	39
07	ANALYZER&TESTER	43

Pneumatic wire strip machine



Model	S-2015C
Wire size	0.03-2.08mm ² (32-14AWG)
Wire OD	Max 3.2mm(0.012")
Strip length	Max 18mm
Speed	approx.0.3s
Size	26.5*7*13.5c
Weight	3kgs

Pneumatic wire strip machine without change blade



Modle	S-2017C
Wire size	0.5-35mm ² (2-14 AWG)
Cable OD	10mm(0.4")
Strip length	30mm
Speed	0.3 s
Production	1500-2000pcs/h
Power supply	AC220/110V,50-60Hz
Air pressure	0.5-0.8Mpa
Size	48*38*21cm
Weight	15kgs

Pneumatic&Electrical wire strip machine



Model	S-2016C
Wire size	0.03-4.0 mm ² (11-32 AWG)
Cable OD	Max 4.2mm(0.17 ")
Strip length	Max. 20mm
Speed	approx.0.3s
Power supply	AC220/110V,50-60Hz
Size	38*8.5*18.8cm
Weight	5kgs

Rotary blade strip machine



Model	SR-100/200/300
Wire dia	10-25mm/10-25mm/10-50mm
Strip length	0-100mm/0-200mm/0-280mm
Production	20-40 pcs/min
Air Connection	0.5-0.7 Mpa
Power supply	AC220/110V,50-60Hz
Power	200W
Size	100*45*35cm
Weight	80kgs/91kgs/115kgs



Multi-core wire strip machine for different wire length

Model	CM-300
Strip length	5-20mm
Wire size	0.5-3mm ²
Cut length	20-290mm(customized)
Power supply	AC220/110V,50-60Hz
Air pressure	0.5-0.7Mpa
Size	90*50*136cm
Weight	150kgs



Coaxial cable strip machine

Model	SC-6806A/SC-6806D/SC-8608
Strip dia	0.5mm-8mm/1.5-9.5mm/2-18mm
Strip length	0.1mm-48/65mm/90mm
Max.strip layers	9
Blade	2/4/4 pcs
Material	imported tungsten steel(Switzerland)
Power supply	AC220/110V,50-60Hz
Production	700-1200pcs / h
Size	72*20*30cm
Weight	38/54/71kgs



Coaxial cable strip machine

Model	SC-25
Cable dia	5-20mm
Strip length	0-200mm
Max.strip layers	5
Power supply	AC220/110V,50-60Hz
Power	1000W
Production	700-1200pcs / h
Size	76*48*56cm
Weight	100kgs



Coaxial cable strip machine

Model	SC-7520/SC-8515/SC-8530
Cable dia	3-25mm/5-35mm/5-35mm/5-35mm
Strip length	200mm/150mm/200mm/300mm
Max.strip layers	9
Blade	2/4/4 pcs
Material	imported tungsten steel(Switzerland)
Power supply	AC220/110V,50-60Hz
Production	700-1200pcs / h
Size	108*31*44cm
Weight	74/134/175/280kgs

Automatic single wire strip machine



Model	CS-S41
Wire size	0.1-4.5mm ²
Strip length	0-30mm
Cut length	1-9999.9mm
Drive method	4 wheels drive
Power supply	AC220/110V,50-60Hz
Conduit dia	Φ5mm
Production	3000-6000pcs/h
Power	400W
Size	40*45*30cm
Weight	33kgs

Automatic cable strip machine



Model	CS-B35
Wire size	1.5-35mm ²
Cut length	0-100m
Strip length	Head 0-250mm; Tail 0-120mm
Data storage	100 group data memory
Power supply	AC220/110V,50-60Hz
Conduit dia	ø16mm
Production	1500-2500pcs/h
Display screen	7 inch touch screen
Drive method	650W
Power	33kgs
Size	56*52*45cm
Weight	70kgs

Automatic single wire strip&twist machine



Model	CS-T41
Wire size	0.1-4.5mm ²
Strip length	0-30mm
Cut length	100m
Drive method	4 wheels drive
Power supply	AC220/110V,50-60Hz
Conduit dia	Φ5mm
Production	6000pcs/h
Power	500W
Size	40*45*30cm
Weight	35kgs

Automatic cable strip machine



Model	CS-B70
Cable size	1.5-70mm ²
Cut length	0-100m
Strip length	Head 0-300mm; Tail 0-150mm
Data storage	100 group data memory
Conduit dia	Φ20mm
Production	1500-2500pcs/h
Display screen	7 inch touch screen
Drive method	12 wheels drive
Power	800W
Size	70*64*48cm
Weight	80kgs

Automatic cable strip machine



Model	CS-B95
Cable size	1.5-95mm ²
Cut length	0-100m
Strip length	Head 0-300mm; Tail 0-150mm
Data storage	100 group data memory
Blade material	imported high speed steel
Conduit dia	Φ22mm
Production	1500-2500pcs/h
Display screen	7 inch touch screen
Drive method	12 wheels drive
Power	1000W
Size	90*65*100cm
Weight	130kgs

Automatic cable strip machinefor 95mm² cable with coiler



Automatic cable strip machine



Model	CS-B150
Wire size	6-150 mm ²
Cut length	0-100m
Strip length	Head 0-500mm; Tail 0-250mm
Data storage	100 group data memory
Conduit dia	Φ28mm
Production	1500-2000pcs/h
Display screen	7 inch touch screen
Drive method	14 wheels drive
Power	1500W
Size	118*65*120cm
Weight	270kgs

Automatic cable strip machinefor 150mm² cable with coiler



Automatic sheath cable cut&strip machine

Model	CS-8010H
Cable size	1-10mm ²
Cut length	100m
Strip length	Max. 20mm
tail	1-40mm
Conduit dia	Φ8mm
Production	2000pcs/h
Drive method	8 wheels drive
Power supply	AC220/110V,50-60Hz
Compressed air	0.5-0.7Mpa
Size	100*60*70cm
Weight	70kgs

Automatic sheath cable cut&strip machine with splitting function

Model	CS-8030Z
wire size	4-30mm ² (AWG12-AWG3)
Strip length	head: full 1-200mm half 1-250mm tail:full 1-100mm half 1-250mm
Conduit dia	Φ16mm
Production	2000pcs/h
Drive method	16 wheels drive
Power supply	220V/110V,50/60Hz
Power	1000W
Compressed air	0.5-0.7Mpa
Size	85*54*63cm
Weight	95kgs

Automatic sheath cable cut&strip machine

Model	CS-8030H/8120H
Wire size	4-30mm ² /10-120mm ²
Head strip length	sheath 10-150mm ,inner wire 1-50mm (CS-8030H)
Tail strip length	sheath 10-80mm, inner wire 1-50mm(CS-8030H)
Head strip length	sheath 30-200mm ,inner wire 1-30mm(CS-8120H)
Tail strip length	sheath 30-150mm, inner wire 1-50mm(CS-8120H)
Conduit dia	Φ16mm
Production	2000pcs/h(sheath cable),800pcs/h(jacket cable)
Drive method	16 wheels drive
Power supply	220V/110V,50/60Hz
Compressed air	0.5-0.7Mpa
Size	84.5*54*62.5cm/120*72*146cm
Weight	95kgs/300kgs

Automatic sheath cable cut&strip machine

Model	CS-8150X/8300X
wire size	10-150mm ² /20-300mm ²
Strip length	S-8150X head: 1- 800mm; tail: 1-260mm S-83000X head: 10-1000mm tail 10-300mm
Conduit dia	Φ25mm/Φ15-48mm
Production	1000pcs/h
Drive method	16 wheels drive
Power supply	220V/110V,50/60Hz
Compressed air	0.5-0.7Mpa
Size	120*72*146cm/195*95*154cm
Weight	266kgs/806kgs



Automatic sheath cable cut&strip machine

Model	CS-8400
Available wire size	30-400mm ²
Strip length	head: 10- 600mm; tail: 10-300mm
Conduit dia	Φ15-45mm
Production	1000pcs/h
Drive method	16 wheels drive
Power supply	220V/110V,50/60Hz
Compressed air	0.5-0.7Mpa
Size	215*115*184cm
Weight	1000kgs

Automatic cable cut&strip machine with cable pay-off and cable coiler



Automatic cable take-up device

Model	CS-8030SS
Feeding speed	2m/s
Induction type	PLC control
Function	Wires, cables, etc
Drive mode	inverter + motor + reducer

Automatic cable cut&strip machine with cable pay-off and take-up device



Automatic wire strip&bend machine



Model	CS-ZW6/10/16/25
Wire size	0.5-6mm ² /0.5-16mm ² /2-25mm ² /4-35mm ²
Strip length	0.1-50mm(ZW6-10)
head	35mm
tail	30mm(ZW16-35)
Bend shape/angle	Shape U, Z, clockwise, counterclockwise bend, 30°, 45°, 60° and 90°
Bending number	Max 10 Segment
Production	800-1500 pcs/h
Power supply	AC220/110V, 50-60Hz
Power	350W
Drive method	2/4/6/6 wheels drive
Size	43*38*30cm
Weight	Max 10 Segment



Semi-automatic heat shrinkable sleeve machine

Model	HST-7
Power supply	AC220/110V 50-/60Hz
Casting baking length	4-50mm(optional fixture)
Baking temperature	200°C-380°C (adjustable by thermostat)
Wire size	0.5-3mm ²
Strip length	5-20mm
Size	50*64*130cm
Weight	98kgs

Silent copper belt crimp machine



Model	HST-7
Stroke	30mm
Power supply	AC220/110V 50-/60Hz
Crimping force	1500kgs
Power	750W
Height adjustment range	8mm
Size	30*42*45cm
Weight	46kgs

Ultrasonic wire harness welding machine



Model	WU-H20
Power supply	AC220/110V 50-/60Hz
Wire size	0.5-20mm ²
Wire dia	Φ0.3mm
Power	2000W
Production	0.6s/time
Size	52*15*18cm
Weight	20kgs(welder)+13kgs(box)



Semi-automatic silent terminal crimping machine

Model	TM-1.5T/2T/3T/4T/6T/8T/10T/12T/20T
Crimp Force	1.5T/2T/3T/4T/6T/8T/10T/12T/20T
Terminal size	0.5-2.5/6/10/20/25/35/60/75/120mm ²
Stroke	30mm (custom available)
Power supply	220V,50/60Hz
Power	550/750/1100/1500/2200/3000/ 3000/3600/5500W
Size	21*21*58cm/55*40*107cm
Weight	35kgs/150kgs



Servo wire crimping machine

Model	TS-8T
Crimp force	8T
Terminal size	below 35mm ²
Power supply	220/110V 50Hz/60Hz
Stroke	30mm
Size	66*50*150cm
Weight	100kgs



Digital wire crimping machine

Model	TD-2T
Crimp force	2T
Stroke	30mm
Power supply	220V,50/60Hz
Power	750W
Size	30*38*72cm
Weight	50kgs



Servo wire crimping machine

Model	TS-15T/20T/30T
Crimp force	15T/20T/30T
Terminal size	35/75/240mm ²
Power supply	220/110V 50Hz/60Hz
Stroke	30mm
Size	55*40*107cm
Weight	520kgs



Servo wire crimping machine

Model	TS-50T
Crimp force	50T
Applicable terminal size	10-300mm ²
Power supply	220/110V 50Hz/60Hz
Power	7500W
Stroke	40mm
Size	122*113*151cm



Wire strip&crimp machine

Model	TSC-1.5T/2T
Wire dia	AWG36#-AWG20#/AWG36#-AWG16#
Crimp force	1.5T/2T
Air Source	0.3~0.4mpa (please use dry and clean air)
Strip length	1.0mm-10.0mm
Power supply	220/110V (50-60Hz)
Power	400W/750W
Size	53*40*83cm
Weight	70/80kgs



Wire ferrule crimp machine

Model	TF-04
Crimping shape	Quadrilateral / Hexagon
Terminal size	0.3-4.0mm ² (insulator≤7.5 mm, conductor≤12 mm)
Power supply	220/110V (50-60Hz)
Air pressure	0.6-0.8Mpa (Please use clean and dry air source)
Size	35*45*40cm
Weight	55kgs



Straight type wire strip&crimp machine

Model	TSC-3.0T
Wire size	AWG26#-AWG16#
Crimp force	3T
Air Source	0.3~0.4mpa (please use dry and clean air)
Strip length	1.0mm-10.0mm
Power supply	Single Phase 200-240V (50-60Hz)
Power	1100W
Size	50*45*100cm
Weight	120kgs



Multicores wire strip&crimp machine

Model	TM-HTB01
Wire Range	2-18P
Wire cores	Max 12 cores
Crimp force	2T
Wire dia	Φ0.8-4mm
Strip length	15mm(2-4 cores),25mm(5-10cores)
Sheathed wire strip length	Over 32mm
Speed	5500pcs / hour (12 cores)
Power	1500W
Power supply	AC220/110V,50-60Hz
Size	85*55*135cm
Weight	150kgs



Semi-auto wire strip&crimp machine with sealing function

Model	WI-2000
Wire dia	min: Φ1.0mm max: Φ4.0mm
Production	1200-1500pcs/h
Stripping range	Min jacket cable length 25mm
Stripping length	1.0mm-10.0mm
Crimp force	2T (4T customized)
Stroke	40mm
Power	1500W
Power supply	220V 50/60HZ
Air source	0.4~0.6mpa (Please use dry and clean air)
Size	95*85*165c
Weight	250kgs



Multicores wire strip&crimp machine with housing function

Model	TM-CS01
Wire dia	min: Φ0.6mm max: Φ2.5mm
Strip length	34mm(2-5cores),40mm(6-12cores)
Strip length	0.5-10mm
Power	1500W
Power supply	AC220/110V,50-60Hz
Size	123*120*175cm
Weight	300kgs



Automatic 4 cores sheath cable strip&crimp machine

Model	TM-HTB02
Production	550-600pcs/h
Strip length	0-15mm
Crimp force	3T
Stroke	30mm
Power supply	220/110V,50-60Hz
Size	150*97*170cm
Weight	550kgs



Fully automatic wire crimp machine for 2 sides

Model	TA-S01
Cut length	45-9900mm
Strip length	head 18mm,tail 20mm(mid strip length 8mm)
Wire size	0.3-2.5mm ²
Power supply	AC220/110V,50-60Hz
Power	2500W
Air pressure	0.4-0.6MPa
Crimp force	2T (30mm stroke)
Production	3500-4000pcs/h(length within 300mm)
Size	80*83*160cm
Weight	285kgs



Fully automatic wire crimp machine for 5 wires dip tinned

Model	TA-DZX01
Power supply	220/110V 50-60Hz
Wire size	AWG32-18#
Cut length	100m
Strip length	0.1-15mm
Tinning length	0.5-7mm
Crimp force	2T
Air source	0.5Mpa-0.7Mpa
Production	5500-7500 pcs/h
Size	121*77*138cm
Weight	450kgs



Fully automatic wire crimp machine with sealing function(2 side sealed)

Model	TA-SS02
Cut length	80-9900mm
Strip length	0-10mm
Wire size	AWG16-28# (1007 singe wire)
Seal size	dia below 17mm
Power supply	AC 220V 3.0Kw
Air pressure	0.4-0.6MPa
Crimp force	2T (30mm stroke)
Production	1100-1400pcs/h(length within 300mm)
Size	130*80*160cm
Weight	500kgs



Fully automatic wire crimp machine for 3 head crimped

Model	TA-HY03
Cut length	60-9900mm
Strip length	0-10mm
Wire size	AWG16-28# (1007 singe wire)
Power supply	AC 220V 2.5Kw
Air pressure	0.4-0.6MPa
Crimp force	2T (30mm stroke)
Production	2200-2500pcs/h(length within 300mm)
Size	145*80*165cm
Weight	520kgs

Function:automatic wire cutting,stripping,automatic wire cutting,stripping,No.1&2 wires one head crimping together,No.1 wire another head crimp a terminals,No.2 wire another head crimp a terminals.



Vertical continuously variable speed cable pay-off

Model	CP-50
Power supply	220/110V,50-60Hz
Power	750W
Bearing weight	50kgs
Drum od	450mm
Size	70*83*106cm
Weight	50kgs



Electronic high-speed wire pay-off

Model	CP-80
Power supply	220/110V,50-60Hz
Wire size	0.5-10mm ²
Wire dia	Max 10mm
Drum od	600mm
Bearing weight	80kgs



Electronic high-speed wire pay-off(double wires type)

Model	CP-80D
Power supply	220/110V,50-60Hz
Feeding speed	0-4m/s
Wire size	0.5-10mm ²
Wire dia	Max 10mm
Drum od	600mm
Bearing weight	80kgs




Active cable pay-off

Model	CP-150
Power supply	220/110V,50-60Hz
Power	750W
Feeding speed	0-4m/s
Wire dia	Max 30mm
Drum od	200-720mm
Drum height	680mm
Bearing weight	150kgs
Size	145*110*90cm



Active cable pay-off

Model	CP-200
Power supply	220/110V,50-60Hz
Power	1500W
Feeding speed	0-4m/s
Wire dia	Max 30mm
Hole dia	38-200mm
Drum od	100-850mm
Drum height	850mm
Bearing weight	200kgs
Size	165*95*80cm



Large size cable pay-off

Model	CP-1000
Power supply	220/110V,50-60Hz
Power	3000W
Feeding speed	0-4m/s
Cable size	105-185mm ²
Drum od	500-1000mm
Drum id	53-85mm
Drum width	320-800mm
Drum height	850mm
Bearing weight	1000kgs



Large size cable pay-off

Model	CP-1500
Power supply	220/110V,50-60Hz
Power	3000W
Feeding speed	0-4m/s
Cable size	105-185mm ²
Drum od	800-1500mm
Drum id	53-85mm
Drum width	450-900mm
Drum height	850mm
Bearing weight	1500kgs
Size	210*190*150cm+75*50*180cm
Weight	1100kgs



Automatic cable coiler

Model	8030C-1/8030C-2/8030C-3
Coil dia	200-360/200-600/350-1000mm
Speed	1.5m/s
Drive mode	servo motor, self-adapting with speed, digital adjustment of speed ratio

Tape wrapping machine (touch screen version)



Model	TW-303
Power supply	220/110V,50-60Hz
Tape width	9-30mm
Tape OD	110mm
Tape ID	Φ32 ΦD38 ΦD76
Wire dia	3-25mm
Size	43*38*32cm
Weight	27kgs



Smart tape wrapping machine


Model	TW-808
Power supply	AC110-220V
Tape width	5-25mm(customizable)
Tape OD	110mm
Tape ID	Φ32 ΦD37 ΦD76
Wire dia	2-40mm
Size	56*54*39mm
Weight	55kgs

Intelligent tape wrapping machine with feeding function



Model	TW-908
Power supply	AC110-220V
Tape width	5-25mm(customizable)
Tape OD	100mm
Tape ID	Φ32 ΦD37 ΦD76
Wire dia	30mm
Size	56*50*35mm
Weight	45kgs

Tape point wrapping machine



Model	TW-DC03
Wire dia	Φ8mm(length more than 140mm)
Tape width	15-45mm
Tape length	50mm
Power supply	AC220/110V,50-60Hz
Power	200W
Size	50*36*36cm
Weight	48kgs

Tape point wrapping machine



Model	TW-DC01
Tape width	≤40mm
Tape OD	≤105mm
Workpiece length range	50mm
Work piece dia	6mm≤workpiece≤28mm
Position from the end	from tape edge to workpiece end length> 30mm
Power supply	AC220/110V,50-60Hz
Power	400W
Size	60*65*56cm
Weight	70kgs

Desktop tape wrapping machine



Model	TW-Z35A/Z55A
Wire dia	Φ5-35mm/Φ5-55mm
Tape width	10-25mm
Tape roll OD	Max Φ110mm
Wrapping Speed	Manual control
Power supply	220/110V,50-60Hz
Size	35*35*40cm
Weight	12kgs

Handheld tape wrapping machine



Model	TW-S35A/S55A
Wire dia	Φ5-35mm/Φ5-55mm
Tape width	10-25mm
Tape roll OD	Max Φ110mm
Power supply	220/110V,50-60Hz
Size	40*25*25cm
Weight	6kgs/8kgs

Tape wrapping machine for manipulators



Model	TW-SJT55A
Wire dia	Φ5-55mm
Tape width	5-25mm
Tape roll OD	Max Φ110mm
Wrapping Speed	Manual control
Power supply	220/110V,50-60Hz
Size	30*25*25cm
Weight	4kgs



Pipe cutting machine

Model	PC-100SS
Cut width	0-100mm
Cut length	100m
Cut thickness	0-12mm
Power supply	AC 220V-230V, 50Hz/60Hz
Size	600*500*450mm
Weight	40kgs

All-in-one bellows pipe cut machine

Model	PC-A30YT
Power supply	220V (50-60Hz)
Power	1100W
Cut dia	5-30mm
Cut length	100m
Cut speed	10-60pcs/min
Size	140*67*140cm
Weight	290kgs



Belt cutting machine

Model	CP-Q100
Stroke	50mm
Power supply	220/110V,50-60Hz
Power	200W
Cut dia	1-30mm
Cut width	80mm
Cut speed	10-60pcs/min
Size	57*49*46cm
Weigh	70kgs

Visually positioned rotary blade pipe cutting machine

Model	CP-A30SXQ
Power supply	220/110V,50-60Hz
Power	3000W
Cut dia	10-45mm
Cut speed	7-12m/min
Size	67*180*150cm
Weight	550kgs

Bellows precision pipe machine

Model	CP-A30
Stroke	30mm
Power supply	220/110V (50-60Hz)
Power	300W
Cut dia	5-30mm
Cut Speed	10-60pcs/min
Size	58*47*50cm
Weight	75kgs

Bellows precision pipe machine with splitting function

Model	CP-A30P
Stroke	30mm
Power supply	220/110V (50-60Hz)
Power	700W
Cut dia	5-30mm
Cut Speed	10-60pcs/min
Size	58*47*50cm
Weight	75kgs

Rotary blade pipe cutter

Model	CP-A80XZ
Power supply	220/110V,50-60Hz
Power	750W
Cut dia	5-42mm
Cut length	5-9999mm
Cut Speed	10-60pcs/min
Size	54*56*57cm
Weight	70kgs

Precision pipe cutting machine for big pipe diameter

Model	CP-B60
Stroke	60mm
Power supply	220/110V (50-60Hz)
Power	500W
Cut dia	5-60mm
Cut Speed	10-60pcs/min
Size	85*70*68cm
Weight	96kgs

Multi-functional pipe cutting machine

Model	CP-A30-A
Power supply	220/110V,50-60Hz
Power	1200W
Stroke	60mm
Cut dia	1-60mm
Cut length	100m
Cut speed	20-40pcs/min
Size	102*53*130cm
Weight	270kgs

Multi-functional pipe cutting machine

Model	CP-A30-B
Power supply	220/110V,50-60Hz
Power	2000W
Stroke	60mm
Cut dia	1-45mm
Cut length	100m
Cut speed	20-40pcs/min
Size	102*53*130cm
Weight	270kgs

Multi-functional pipe cutting machine

Model	CP-A30-C
Power supply	220/110V,50-60Hz
Power	1800W
Stroke	60mm
Cut dia	1-36mm(soft tubes)
Cut length	100m
Cut speed	50-400pcs/min
Size	85*53*130cm
Weight	150kgs

Visually positioned pipe cutting machine

Model	CP-A30S
Stroke	30mm
Power supply	220V 50-60Hz
Power	300W
Cut dia	4-45mm
Cut speed	10-60pcs/min
Size	79*89*153cm
Weight	180kgs



Visually positioned tube cutting machine

Model	CP-A30SSQ
Stroke	30mm
Power supply	220V 50-60Hz
Power	300W
Cut dia	4-45mm
Cut speed	10-60pcs/min
Size	155*70*165cm
Weight	260kgs



Nylon braided pipe cutting machine

Model	CP-LC03
Cut dia	8-15mm
Stroke	85mm
Power supply	220V 50-60Hz
Cut speed	650-700pcs/min
Size	170*60*150cm
Weight	380kgs



High-pressure tubing cutting machine

Model	PC-GYYG01
Cut dia	8-55mm
Stroke	75mm
Cut speed	500pcs/h
Feeding speed	1m/s
Incision condition	flat and burr-free



Vertical unwinder

Model	CP-P01
Plate dia	800mm(inner hole 250mm, outer hole 800)
Plate bearing weight	85mm
Power	900W
Power supply	220/110V,50-60Hz
Size	75*110*110cm
Weight	180kgs



Cable winding&tying machine

Model	BH-30A/35A/40A
Power supply	AC220/110V,50-60Hz
Power	80W
Wind OD	50-150mm
Tying wire length	60-140/110-200/140-260mm
Tie dia	Φ05-35mm/Φ20-45mm/Φ25-60mm
Size	45*50*32cm
Weight	30/35/45kgs

Shielded wire brushing machine



Model	T-21
Power supply	220/110V,50-60Hz
Power	50W*2
Brush length	5-60mm
Wire dia	Φ0.1-25mmmm
Size	32*22*26cm
Weight	15kgs

Wire burushing machine(3 brushes)




Model	T-23
Air pressure	1.5-2.5kgs/cm
Power supply	220V/110V 50-60Hz
Power	10W
Twist length	5-80mm
Wire size	1-16mm ²
Size	34*32*21cm
Weight	15kgs

Crawler type brushing machine




Model	T-22
Power supply	220/110V,50-60Hz
Power	400W*2
Brush length	5-200mm
Wire dia	Φ1-30mm
Size	42*48*H32cm
Weight	52kgs

Desktop meter-counting cable winding machine



Model	BH-JD01
Power supply	220/110V 50/60Hz
Power	600W
Wire dia	0.5-12mm
Coil weight	Max 3kgs
Winding speed	5-800 circles/min
Coil ID	30-260mm
Coil OD	260mm/280mm/Max 300mm
Size	600x400x430mm
Weight	90kgs

Desktop meter-counting cable winding&tying machine



Model	BH-JM01
Wire dia	Φ1-8mm
Coil weight	Max 1.5 kg
Coil OD	280mm-320mm
Winding speed	1-13 cycle/s
Tying dia	Φ18-45mm
Power supply	220/110VAC,50/60Hz
Power	400W
Size	83*30*55cm
Weight	80kgs

Floor-stand meter-counting cable winding machine



Model	BH-JF01
Power supply	220/110V 50/60Hz
Power	1500W
Wire dia	0.5-16mm
Coil weight	Max 20kgs
Winding speed	500 circles/min
Coil ID	50-500mm
Coil OD	standard 300mm/Max 600mm
Size	85x50x95cm
Weight	150kgs

Floor-stand meter-counting cable winding&tying machine



Model	BH-RZ01
Wire dia	Φ1-8mm
Coil weight	Max 3 kg
Coil ID	50-300mm
Coil OD	320-350mm
Winding Speed	1-13 cycle/s
Tying dia	Φ8-30mm / 18-45mm / 40-80mm
Power supply	220/110VAC,50/60Hz
Power	500W
Size	100*45*80cm
Weight	170kgs

Integrated terminal cross section analyzer

Model	SA3
Video magnification	30-312x
Wire size	0.01-33mm ² (max 120mm ²)
Power supply	220/110V 50/60HZ
Cutting sheet size	φ150*0.5mm
Grinding sandpaper	φ150*0.5mm
Terminal corrosion	Liquid cleaning (5S complete)
Size	50*35*35cm



Portable terminal cross section analyzer

Model	SA5
Cut size	0.13-8mm ²
Cut wheel size	ID 21.7 mm, OD 105 mm, Thic 0.5 mm
Speed	2800 rpm
Power supply	220/110V 50/60HZ
Grinding sandpaper OD	100mm
Size	50*35*35cm
Weight	30kgs



Automatic terminal cross section analyzer

Model	SA4
Video magnification	45-450x
Wire size	0.01-30mm ² (max 150mm ²)
Power supply	220/110V 50/60HZ
Cutting sheet size	φ150*0.5mm
Grinding sandpaper	1200#
Terminal corrosion	Liquid cleaning (5S complete)
Size	50*35*35cm



Harness color color separator

Model	SA-Y001
Power supply	220/110V,50-60Hz
Power	35W
Size	43cmX30cmX43cm
Weight	8.5kgs
Detection method	sound alarm and indicate OK or NG on the display



The system first takes a picture of the correct cable, and then uses the image as a template to compare it with the image taken during the inspection. to identify whether the product is qualified or not.

Tensile tester



Model	T-T50/T100
Test range	0~500N/0-1000N
Power	100W
Program storage	16
Power	AC220/110V 50/60Hz
Size	43*18*21cm
Weight	10kgs



Intelligent tensile tester

Model	T-L001
Measuring range	0-1000 (N)
Power supply	220/110V,50-60Hz
Applicable interfaces	16
Feeding speed	25-100mm/min
Stroke	48mm
Size	41*16*12cm
Weight	15kgs

Automatic wire folding and labeling machine



Model	L-DZ10
Power supply	AC220V/50 Hz 60W
Label roll size	ID 76mm,OD Max 240mm(customized)
Label material	PVC, PET, cloth, paper, etc
Label size:L*W Min	10-45mm Max:130-50mm(customized)
Wire OD	max 10mm; min 3mm (customized by model)
Wire length	min100mm
Production	900-1200 pcs/h
Size	85*70*98cm
Weight	68kgs

Desktop bylon cable tie tying machine



Model	BH-NL002
Cable tie size	2.5*80mm/2.8*100mm/2.5*120mm/2.5*150mm 3*150mmHarness round bar dia:below 100mm
Tying dia	12-32mm (80mm)
Max strapping force	15N
Production	1500-1800pcs/hour
Power	750W
Power supply	AC 220/110V/50/60Hz
Size	120*65*88cm
Weight	150kgs